



TECHNICAL DATA SHEET

FUR KONZ

CHARACTERISTICS

Special product for pre-spotting, cleaning and fattening smooth leathers, suede and fur, especially in the wet clean system

Cleaning oil product with high concentration of emulsifying oil active during washing and little wetting.

It guarantees a fairly clean and fattening. Do not clog the filters. The product is free from extraneous solvents. It restores the natural leather clothes, giving back its natural softness, it increases the velvet effect.

Reinfattening to wash leathers, it ensures regeneration of colours for silk items.

APPLICATIONS AND DOSAGES

Use:

In Perchloroethylene, in hydrocarbon solvent and in water

Recommended dosage and method of work:

For the pre-spotting (spray or brush) : for this treatment, use Fur Konz pure or diluted 2:1 with water having a good emulsifying capacity. It is also possible, before washing to spray water or steam on the surface of the very dirty parts and then brush Fur Konz pure.

For dry cleaning and the reinfattening in solvent machine :

Dosage for leathers

unique bath : time in **Perchloroethylene** = 8-10 minutes with 20- 40 ml of Fur Konz / liter of bath or
time or **Cleaning solvent** to hydrocarbon = 10-15 minutes with 10-20 ml of Fur
Konz/liter of bath

Recommended dosage for fur and leather with hair:

cleaning time = 4- 6 minute in **Perchloroethylene** with 10-20 ml of Fur Konz / liter of bath or solvent
or
in **Hydrocarbons solvents** with 10 ml of Fur Konz / liter of bath.

In both cases, after treatment centrifuge for 2 minutes and dry at 40-45 ° C.

Spray reinfattening:

Dilute Fur Konz about 1:6 - 1:10 with some water (preferably warm to facilitate mixing) depending on the result you want.

With a gun diffuser spray uniformly on the leather until it is soaked regularly.

Le nostre circolari servono esclusivamente a dare informazioni generali sull'uso dei nostri prodotti. Si consiglia di vagliare responsabilmente qualsiasi influenza possa verificarsi sui capi. Le ns. indicazioni riflettono le ns. cognizioni tecniche più aggiornate, ciò non implica alcuna garanzia legale da parte nostra. Caratteristiche e dati possono subire variazioni senza preavviso da parte nostra.

G.B.M. Elettrochimica S.R.L.

Sede Legale – Via Fiumicino San Mauro 120/130 – 47039 Savignano sul Rubicone (FC)

Tel. 0541 930058 r.a. – Fax Comm. 0541 810218 - Fax Amm.ne 0541 815280 - www.gbmprodottichimici.it - gbm@gbmprodottichimici.it

Capitale Sociale € 20.000,00 i.v. - Cod. Fisc. e P.Iva 00958710402 – R.E.A. 192182



TECHNICAL DATA SHEET

Penetrations on the lining, not have a negative impact on the conditions of a normal colour resistance. Dry treated garments to the air for 30 minutes and then when they are still damp, place them in the machine for velvet with synthetic sponges at least for 60 minutes ..

FUR KONZ

This treatment produces a conditioning effect of fats, intensifies the brilliance of the colours and the writing effect. For leathers that do not allow treatment in a tumbler, for example leather used for livingrooms furniture which can not be disassembled, the leather still damp, should be treated by hand with a brush or sponge of synthetic material.

Additional indication for an improvement in sealing

The following method has yielded good results:

put 4 parts of water in a container, while mixing, add 2 parts of Fur Konz and 4 parts of Fur VLF. The resulting solution produces an effect of intensity and colour and of reinfattening and at the same time waterproofing.

This mixture tends to dissociation and so therefore must occasionally be shaken or stirred.

Reinfattening for use in Wet-Clean System :

After rinsing and gentle centrifugation, dose Fur Konz at low bath level at 20-30 ° C.

Quantity to be used : about 10-30 ml / kg or
about 3-10 ml / per liter of water.

the duration of the treatment is about 5-10 minutes, then centrifuge for 2 minutes at 500 turns of intervals. Before drying, put garments in a tumbler or roll them into the washing machine for 5 minutes; this to remove wrinkles and fingerprints of the drum before hang them, pull the seams. After drying put them in a tumbler for about 30 minutes to make garments softener.

Application for silk garments

Single silk garments are treated by hand, with the immersion method for reinfattening and regeneration of colours. Mix about 100 ml of Fur Konz thoroughly with 10 liters of fresh water.

First prepare the quantity and then add the product. Shake gently silk garments by hand for 1-2 minutes, centrifuge them lightly or roll in a towel and then hung for drying.

Completion: after drying the treated garments, complete as usual.

Le nostre circolari servono esclusivamente a dare informazioni generali sull'uso dei nostri prodotti. Si consiglia di vagliare responsabilmente qualsiasi influenza possa verificarsi sui capi. Le ns. indicazioni riflettono le ns. cognizioni tecniche più aggiornate, ciò non implica alcuna garanzia legale da parte nostra. Caratteristiche e dati possono subire variazioni senza preavviso da parte nostra.

G.B.M. Elettrochimica S.R.L.

Sede Legale – Via Fiumicino San Mauro 120/130 – 47039 Savignano sul Rubicone (FC)
Tel. 0541 930058 r.a. – Fax Comm. 0541 810218 - Fax Amm.ne 0541 815280 - www.gbmprodottichimici.it - gbm@gbmprodottichimici.it
Capitale Sociale € 20.000,00 i.v. - Cod. Fisc. e P.Iva 00958710402 – R.E.A. 192182



TECHNICAL DATA SHEET

CONTENTS/TECHNICAL DATA

Density at 20 ° C:	0.87
pH value:	----
Ionogenic:	nonionic
Contains:	fattening agent and emulsifier.

DIRECTIONS

Keep the container tightly closed in a cool place.

Le nostre circolari servono esclusivamente a dare informazioni generali sull'uso dei nostri prodotti. Si consiglia di vagliare responsabilmente qualsiasi influenza possa verificarsi sui capi. Le ns. indicazioni riflettono le ns. cognizioni tecniche più aggiornate, ciò non implica alcuna garanzia legale da parte nostra. Caratteristiche e dati possono subire variazioni senza preavviso da parte nostra.

G.B.M. Electrochimica S.R.L.

Sede Legale – Via Fiumicino San Mauro 120/130 – 47039 Savignano sul Rubicone (FC)
Tel. 0541 930058 r.a. – Fax Comm. 0541 810218 - Fax Amm.ne 0541 815280 - www.gbmprodottichimici.it - gbm@gbmprodottichimici.it
Capitale Sociale € 20.000,00 i.v. - Cod. Fisc. e P.Iva 00958710402 – R.E.A. 192182