



TECHNICAL DATA SHEET

FUR KLEBER

CHARACTERISTICS

Cleaning – resistant adhesive for leather and furs

Possesses an excellent washing and cleaning resistant permanent gluing
Reduces the expenditure of touching-up considerably.
After drying it becomes a highly elastic transparent film with a tack-free surface.
Shows a quick gluing effect, which can be accelerated by pressure or dry heat.
Does not swell even in solvents.
Does not cause stains in contrast to usual adhesives

APPLICATIONS AND DOSAGES

Working methods:

FUR KLEBER is applied undiluted.
Repairing leather items the patch is expediently coated with FUR KLEBER and pressed fortified onto the damaged area.

Working with smooth leather it is recommended to nappa the smooth side or the patch, then the damaged area is coated with FUR KLEBER. As far as FUR KLEBER is not dried it can be removed with a wet cloth.

The substances of the adhesive do not cause any damages during the cleaning process.

CONTENTS/TECHNICAL DATA

Density at 20° C: 1,08
Appearance: milky, white liquid

Contents:

Aliphatic polyester polyurethane, anionic

DIRECTIONS

Resistant from 5°C to 40°C protect from heat and from freezing.
Allowed to be stored for 6 months.
Close container tightly after use.

Le nostre circolari servono esclusivamente a dare informazioni generali sull'uso dei nostri prodotti. Si consiglia di vagliare responsabilmente qualsiasi influenza possa verificarsi sui capi. Le ns. indicazioni riflettono le ns. cognizioni tecniche più aggiornate, ciò non implica alcuna garanzia legale da parte nostra. Caratteristiche e dati possono subire variazioni senza preavviso da parte nostra.

G.B.M. Electrochimica S.R.L.

Sede Legale – Via Fiumicino San Mauro 120/130 – 47039 Savignano sul Rubicone (FC)

Tel. 0541 930058 r.a. – Fax Comm. 0541 810218 - Fax Amm.ne 0541 815280 - www.gbmprodottichimici.it - gbm@gbmprodottichimici.it
Capitale Sociale € 20.000,00 i.v. - Cod. Fisc. e P.Iva 00958710402 – R.E.A. 192182